



Canby
Department
Avenue
PO Box 930
Canby, OR 97013
(503) 266-7001

LAND USE APPLICATION

SITE AND DESIGN REVIEW

Downtown Canby Overlay - Type III

APPLICANT INFORMATION: (Check ONE box below for designated contact person regarding this application)

☒ Applicant Name: MATT RADICHT Phone: 503-860-5523
Address: 1224 McLoughlin Email: matt@activewatersports.com
City/State: OREGON CITY OR Zip: 97045

☐ Representative Name: _____ Phone: _____
Address: _____ Email: _____
City/State: _____ Zip: _____

☐ Property Owner Name: WARREN FREER Phone: 503 830 2795
Signature: _____
Address: 1224 McLoughlin Email: matt@activewatersports.com
City/State: OREGON CITY OR Zip: 97045

☐ Property Owner Name: _____ Phone: _____
Signature: _____
Address: _____ Email: _____
City/State: _____ Zip: _____

NOTE: Property owners or contract purchasers are required to authorize the filing of this application and must sign above

- ① All property owners represent they have full legal capacity to and hereby do authorize the filing of this application and certify that the information and exhibits herewith submitted are true and correct.
- ② All property owners understand that they must meet all applicable Canby Municipal Code (CMC) regulations, including but not limited to CMC Chapter 16.49 Site and Design Review standards.
- ③ All property owners hereby grant consent to the City of Canby and its officers, agents, employees, and/or independent contractors to enter the property identified herein to conduct any and all inspections that are considered appropriate by the City to process this application.

PROPERTY & PROJECT INFORMATION:

1907 SE 1ST AVE
Street Address or Location of Subject Property

3.87 acre
Total Size of Property

31E34 00500
Assessor Tax Lot Numbers

C-M
Zoning

parcel # 797864
Comp Plan Designation

ADD 10,000 SF building for servicing boats
Describe the Proposed Development or Use of Subject Property


STAFF USE ONLY				
FILE #	DATE RECEIVED	RECEIVED BY	RECEIPT #	DATE APP COMPLETE

SITE AND DESIGN REVIEW APPLICATION – TYPE III–INSTRUCTIONS

All required application submittals detailed below must also be submitted in electronic format on a CD, flash drive or via email to: PlanningApps@canbyoregon.gov

Applicant City
Check Check

- ☒ ☐ One (1) copy of this application packet. The City may request further information at any time before deeming the application complete.
- ☐ ☐ Payment of appropriate fees – cash or check only. Refer to the city's Master Fee Schedule for current fees. Checks should be made out to the *City of Canby*.
- ☒ ☐ **Please submit one (1) electronic copy of mailing addresses in either an EXCEL SPREADSHEET or WORD DOCUMENT** for all property owners and all residents within 500 feet of the subject property. **If the address of a property owner is different from the address of a site, an address for each unit on the site must also be included and addressed to "Occupant."** A list of property owners may be obtained from a title insurance company or from the County Assessor's office.
- ☒ ☐ **One (1) copy of a written, narrative statement describing the proposed development and detailing how it conforms with the Municipal Code and to the approval criteria, including the applicable Design Review Matrix, and availability and adequacy of public facilities and services. Ask staff for applicable Municipal Code chapters and approval criteria.**
Applicable Code Criteria for this application includes:



- ☐ ☐ Three (3) copies of a Traffic Impact Study (TIS), conducted or reviewed by a traffic engineer that is contracted by the City and paid for by the applicant (payment must be received by the City before the traffic engineer will conduct or review a traffic impact study.)
Ask staff to determine if a TIS is required.

- ☒ ☐ One (1) copy in written format of the minutes of the neighborhood meeting as required by Municipal Code 16.89.020 and 16.89.070. The minutes shall include the date of the meeting and a list of attendees. — *No Attendees*
- ☒ ☐ One (1) copy in written format of the minutes of the pre-application meeting
- ☒ ☐ One copy of either the recorded plat or the recorded deeds or land sales contracts that demonstrates how and when legal property lines were established and where the boundaries of the legal lot(s) of record are located. If the property is a lot or parcel created by plat, a copy of the recorded plat may be obtained from the Clackamas County Surveyor's office. If the property is a legal lot of record created by recorded deed or land sales contract at a time when it was legal to configure property lines by deed or contract, then those recorded deeds may be obtained from the Clackamas County Office of the Clerk, or a Title Company can also assist you in researching and obtaining deeds.
- ☐ ☒ If the development is located in a Hazard ("H") Overlay Zone, submit one (1) copy of an affidavit signed by a licensed professional engineer that the proposed development will not result in

Applicant City
Check Check

☐ ☐ One (1) copy of a completed landscaping calculation form (see page 5)

☐ ☐ One (1) copy of a completed Design Review Matrix (see page 6)

SITE AND DESIGN REVIEW APPLICATION: LANDSCAPING CALCULATION FORM

Site Areas

1. Building area	11,550	- Square footage of building footprints
2. Parking/hardscape		- Square footage of all sidewalks, parking, & maneuvering areas
3. Landscaped area	—	- Square footage of all landscaped areas
4. Total developed area		- Add lines 1, 2 and 3
5. Undeveloped area	—	- Square footage of any part of the site to be left undeveloped.
6. Total site area		- Total square footage of site

Required Site Landscaping (Code 16.49.080)

7. Percent of landscaping required in Zoning District	Already Completed	- Fill in the Appropriate Percentage: R-1, R-1.5, R-2 Zones: 30%; C-2, C-M, C-R, M-1, M-2 Zones: 15%; C-1 Zone: 7.5%
8. Required minimum square footage of landscaping	Already completed	- Multiply line 4 and line 7
9. Proposed square footage of landscaping	no change	- Fill in value from line 3

Required Landscaping within a Parking Lot (Code 16.49.120)

Note: This section and the next apply only to projects with more than 10 parking spaces or 3,500 square feet of parking area

10. Zone	C-M	- Fill in the Appropriate Zone and Percentage: C-1 Zone: 5%; Core Commercial sub-area of the Downtown Canby Overlay: 10%, except for parking lots with 10 or more spaces and two or more drive aisles: 50 square feet per parking space; All other zones: 15%.
11. Percent of required landscaping	NA Covered Parking	
12. Area of parking lot & hardscape	3654 SF	- Fill in area of parking and maneuvering areas plus all paved surface within ten (10) feet of those areas.
13. Number of vehicle parking spaces	13	- For Core Commercial sub-area in the Downtown Canby Overlay only, fill in the total # of parking spaces on-site.
14. Required square footage of landscaping within 10 feet of parking lot	—	- Multiply area of parking lot (line 12) by percent of required landscaping (line 11) -OR- for the CC sub-area in the Downtown Canby Overlay multiply line 13 by 50 square feet.
15. Proposed square footage of Landscaping within 10 feet of parking lot	0	- Calculate the amount of landscaping proposed within 10 feet of all parking and maneuvering areas.

Parking Lot Tree Calculation

16. Number of parking spaces	13	- Total number of vehicle parking spaces
17. Area of parking lot & hardscape	3654 SF	- Area from line 12
18. Number of parking spaces (line 16) divided by 8	2	- Round up to the nearest whole number

19. Area of parking lot area (line 17) divided by 2,800	2	- Round up to the nearest whole number
20. Number of required trees in parking lot	2	- Fill in the larger of row 18 and row 19
21. Number of trees provided within 10 feet of parking lot	NA	- Fill in the number of proposed trees within 10 feet of parking and maneuvering areas.

UTILIZING
EXISTING LANDSCAPE & TREES

SITE AND DESIGN REVIEW APPLICATION: DESIGN REVIEW MATRIX

Applicants: Please circle the applicable point column for your project and compute the total and percentages at the end of the table.

Table 16.49.040 Site Design Review Menu

As part of Site and Design Review, the following menu shall be used as part of the review. In order to "pass" this table 60% of total possible points shall be earned, 10% of the total possible points must be from LID elements

Design Criteria	Possible Points				
Parking	0	1	2	3	4
Screening of parking and/or loading facilities from public right-of-way	Not screened	Partially screened	Fully screened	-	-
Parking lot lighting provided	No	Yes	-	-	-
Parking location (behind building is best)	Front	Side	Behind	-	-
Number of parking spaces provided (% of minimum required)	>120%	101-120%	100%	-	-
Screening of Storage Areas and Utility Boxes	0	1	2	3	4
Trash storage is screened from view by solid wood fence, masonry wall or landscaping.	No	Yes	-	-	-
Trash storage is located away from adjacent property lines.	0 - 10 feet from adjacent property	11 - 25 feet from adjacent property	>25 feet from adjacent property	-	-
Utility equipment, including rooftop equipment, is screened from view.	Not screened	Partially screened	Fully screened	-	-
Access	0	1	2	3	4
Distance of access to nearest intersection.	≤70 feet	71 - 100 feet	>100 feet	-	-

Pedestrian walkways from public street/sidewalks to building entrances.	One entrance connected.		Walkways connecting all public streets/sidewalks to building entrances.		
Pedestrian walkways from parking lot to building entrance.	No walkways	Walkway next to building only	Walkways connecting all parking areas to building entrances		

Design Criteria	Possible Points				
Tree Retention	0	1	2	3	4
Percentage of trees retained	<10%	10-50%	51-75%	>75%	-
Replacement of trees removed	<50%	≥50%	-	-	-
Signs	0	1	2	3	4
Dimensional size of sign (% of maximum permitted)	>75%	50-75%	<50%	-	-
Similarity of sign color to building color	Not similar	Somewhat similar	Similar	-	-
Pole sign used	Yes	No	-	-	-
Building Appearance	0	1	2	3	4
Style (similar to surroundings)	Not similar	Somewhat similar (1 or 2 points possible depending on level of similarity)		-	-
Color (subdued and similar to surroundings is better)	Neither	Similar or subdued	Both	-	-
Material (concrete, wood and brick are best)	Either 1 or 2 points may assigned at the discretion of the Site and Design Review Board				
Size of building (smaller is better)	>20,000 square feet	≤20,000 square feet	-	-	-
Provision of public art (i.e. murals, statues, fountains, decorative bike racks, etc.)	No	-	-	-	Yes

Landscaping	0	1	2	3	4
Number of non-required trees provided	-	At least one tree per 500 square feet of landscaping.	-	-	-
Amount of grass (less grass is better) (% of total landscaped area)	>50%	25-50%	<25%	-	-
Low Impact Development (LID)	0	1	2	3	4
Use of pervious paving materials (% of total paved area)	<10%	-	10-50%	51-75%	>75%
Provision of park or open space area	None	-	Open space (Generally not for public use)	-	Park (public or privately owned for public use)

Design Criteria	Possible Points				
Use of drought tolerant species in landscaping (% of total plants)	<25% drought tolerant	-	25-50% drought tolerant	51-75% drought tolerant	>75% drought tolerant
Provision of additional interior parking lot landscaping (% of minimum required)	100%	101-110%	111-120%	>120%	-
Provision of an eco-roof or rooftop garden (% of total roof area)	<10%	-	-	10-50%	>50%
Parking integrated within building footprint (below-grade, structured parking, or tuck-under parking) (% of total on-site parking)	<10%	-	-	10-50%	>50%
Disconnecting downspouts from city stormwater facilities	None	Some downspouts disconnected	All downspouts disconnected	-	-
Shared parking with adjacent uses or public parking structure (% of total required parking spaces)	None	<50%	≥50%	-	-

Provision of rain gardens/bioretenention areas for stormwater runoff (% of total landscaped area)	None	-	10-50%	51-75%	>75%
Total Possible Points = 71, 60%=42.6 points, 10%=7.1 points					

Total Points Earned: 45 (42.6 required for 60%)

Total LID Points Earned: _____ (7.1 required for 10%)

significant impacts to fish, wildlife and open space resources of the community. If major site grading is proposed, or removal of any trees having trunks greater than six inches in diameter is proposed, then submit one (1) copy of a grading plan and/or tree-cutting plan.

Applicant City
Check Check

- ☐ Two (2) paper copies of the proposed plans, printed to scale no smaller than 1"=50'. The plans shall include the following information:

- ☒ Vicinity Map. Vicinity map at a scale of 1"=400' showing the relationship of the project site to the existing street or road pattern.
- ☐ Site Plan-the following general information shall be included on the site plan:
 - ☒ Date, north arrow, and scale of drawing;
 - ☒ Name and address of the developer, engineer, architect, or other individual(s) who prepared the site plan;
 - ☒ Property lines (legal lot of record boundaries);
 - ☒ Location, width, and names of all existing or planned streets, other public ways, and easements within or adjacent to the property, and other important features;
 - ☒ Location of all jurisdictional wetlands or watercourses on or abutting the property;
 - ☐ Finished grading contour lines of site and abutting public ways;
 - ☐ Location of all existing structures, and whether or not they are to be retained with the proposed development;
 - ☒ Layout of all proposed structures, such as buildings, fences, signs, solid waste collection containers, mailboxes, exterior storage areas, and exterior mechanical and utility equipment;
 - ☐ Location of all proposed hardscape, including driveways, parking lots, compact cars and handicapped spaces, loading areas, bicycle paths, bicycle parking, sidewalks, and pedestrian ways;
 - ☒ Callouts to identify dimensions and distances between structures and other significant features, including property lines, yards and setbacks, building area, building height, lot area, impervious surface area, lot densities and parking areas;
 - ☐ Location of vision clearance areas at all proposed driveways and streets.

Existing → ☒

Landscape Plan

The following general information shall be included on the landscape plan:

- ☐ Layout and dimensions of all proposed areas of landscaping;
- ☐ Proposed irrigation system;
- ☐ Types, sizes, and location of all plants to be used in the landscaping (can be a "palette" of possible plants to be used in specific areas for landscaping);
- ☐ Identification of any non-vegetative ground cover proposed, and dimensions of non-vegetative landscaped areas;
- ☐ Location and description of all existing trees on-site, and identification of each tree proposed for preservation and each tree proposed for removal;
- ☐ Location and description of all existing street trees in the street right-of-way abutting the property, and identification of each street tree proposed for preservation and each tree proposed for removal.

Elevations Plan

The following general information shall be included on the elevations plan:

- ☐ Profile elevations of all buildings and other proposed structures;
- ☐ Profile of proposed screening for garbage containers and exterior storage areas;
- ☐ Profile of proposed fencing.

Sign Plan.

- ☐ Location and profile drawings of all proposed exterior signage.

Color and Materials Plan.

- ☐ Colors and materials proposed for all buildings and other significant structures.

SITE AND DESIGN REVIEW – DCO TYPE III: STANDARDS AND CRITERIA

1. The Board shall, in exercising or performing its powers, duties or functions, determine whether there is compliance with the intent of the following DCO site and design review standards:

16.41.070.A.1.
Design standards in this section are intended to help create an active, inviting street and sidewalk-facing storefronts and entryways that are friendly and easily accessible to passersby. They also will help ensure that the ground floor promotes a sense of interaction between activities in the building and activities in the public realm; and

16.41.070.B.1.
Build upon downtown Canby's traditional architectural vernacular by incorporating cohesive and repetitive architectural elements into the ground floor of street facing facades; and

16.41.070.C.1.
Build upon Canby's traditional downtown architecture by creating an attractive and unified building façade that celebrates ground floor activities, the top of the building (where the edifice meets the sky), and everything in between; and

16.41.070.D.1.
Create a strong architectural statement at street corners to create a strong identity. Establish visual landmarks and enhance visual variety; and

16.41.070.E.1.
Use building materials that evoke a sense of permanence and are compatible with Canby's business areas and the surrounding built environment; and

16.41.070.F.1.
Use colors and buildings that are generally compatible with Canby's business areas and the surrounding built environment.
2. The Board shall, in making its determination of compliance with the above requirements, be guided by the objectives and standards set forth in this section. If the site and design review plan includes utility facilities or public utility facility, then the City Planner shall determine whether those aspects of the proposed plan comply with applicable standards.
3. The Board shall, in making its determination of compliance with the requirements set forth, consider the effect of its action on the availability and cost of needed housing. The Board shall not use the requirements of this section to exclude needed housing types. However, consideration of these factors shall not prevent the Board from imposing conditions of approval necessary to meet the requirements of this section. The costs of such conditions shall not unduly increase the cost of housing beyond the minimum necessary to achieve the purposes of this ordinance.
4. As part of the site and design review, the property owner may apply for approval to cut trees in addition to those allowed in Section 12.20.080 of the City Tree Ordinance. The granting or denial of said application will be based on the criteria in Chapter 12.20 of the City Tree Ordinance. The cutting of trees does not in and of itself constitute change in the appearance of the property which would necessitate application for site and design review.